

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	29	("7144350" "20060041355" "5157609" "4827798" "4900054" "6055946" "6093976" "6163083" "6340849" "6472773" "6936969" "5735176" "6663270" "20030090908" "4967385" "5855420" "5884350" "6888948" "20020168075" "20070225601" "5331934" "6113515" "6950734" "20060185459" "6178358" "6718236" "20050004860" "5136522" "20030033033").pn.	US-PGPUB; USPAT	OR	ON	2008/02/11 11:55
S2	2842	(gear\$4 shift\$4) near3 (pattern set\$4 ratio select \$4 chang\$4) same (worn \$4 servic\$4 near3 life (frequen\$4 often) near3 (us\$4 actuat\$4 activat \$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 12:03
S3	412434	("701"/\$ "702"/\$ "74"/\$ "73"/\$).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 12:06
S4	382	S2 and S3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 12:10
S5	284	S4 and gear\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/11 12:10
S6	11	("5272939" "5487005" "5509867" "5620392" "6116105" "6128959" "6178366" "6205389").PN. OR ("6526816").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/12 09:11

S7	11	("5272939" "5487005" "5509867" "5620392" "6116105" "6128959" "6178366" "6205389").PN. OR ("6526816").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/12 09:13
S8	6	("4535412" "5046383" "5241855" "5477950").PN. OR ("6278925").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/12 09:12
S9	6	("4361060" "5067374" "5730682").PN. OR ("6246942").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/12 09:16
S10	2019	(monitor\$4 detect\$4 sens \$4 obtain\$4) near6 (life damag\$4 worn\$4 wear \$4 tonr tear\$4) near6 (gear\$4 shift\$4 transmission)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 10:47
S11	685	S10 and (vehic\$4 car mobile automot\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 10:52
S12	182	S11 and (gear\$3 shift\$4 transmission) near3 (monitor\$4 evaluat\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 10:53
S13	38	S12 and gear\$4 near3 (pattern\$4 ratio select\$4 shift\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/12 10:53
S14	7	("5016174" "5515272" "5613583" "5719767" "5846162" "5921885" "6223873").PN. OR ("6819987").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/12 10:57
S15	10	("4269070" "4499450" "4989686" "5067354" "5133696" "5146790" "5329465" "5353642" "5524034" "6040768").PN. OR ("6225892").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/12 11:43
S16	10	("4499450" "4651142" "4848531" "5723779" "5847272").PN. OR ("6040768").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/12 11:43

2/ 17/ 2008 11:22:38 PM

C:\Documents and Settings\tnghuyen2\My Documents\EAST\Workspaces\10-519829 Gear
Ratio selection based on gear life worn.wsp